

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23780

Stream : Little Salt Creek

Applicant : Susan Berman
619 NE 117th Street
Ocala, FL 34479-1074

Description : A new bridge will be constructed over Little Salt Creek to carry a private driveway across the stream. The new structure will be a single-span pre-stressed concrete bridge with a span length of 33'. The structure will have an out-to-out length of 35' and a clear roadway width of 14'. The spill through abutments will have 2:1 sideslopes armored with rip-rap. The abutments and piers will be skewed 0 degrees to align with streamflow. The approach roads will be elevated a maximum of 4' above the existing grade. A temporary construction access crossing will be placed within the right-of-way on the upstream side of the proposed bridge. It will be completely removed from the floodway upon completion of the bridge. The project is privately funded. Details of the project are contained in information received electronically at the Division of Water on April 10, 2006 and May 22, 2006.

Location : Approximately 800' northeast (upstream) of the Garrity Road stream crossing near Nashville, Van Buren Township, Brown County
NE¼, NE¼, NE¼, Section 5, T 7N, R 4E, Waymansville Quadrangle
Quad Code: 3908611
UTM Coordinates: Downstream 4325550 North, 577780 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23847

Stream : Big Blue River

Applicant : *Indiana Department of Transportation
Richard Phillabaum
100 North Senate Avenue, Room N642
Indianapolis, IN 46204-2216

Description : The existing twin reinforced concrete arch bridge carrying US 31 over Big Blue River will be rehabilitated on essentially the same alignment to improve traffic flow. Proposed construction includes; removal and replacement of the existing bridge pavement, reconstruction of a portion of the spadrel walls and bridge railings, minor work on the approach roads, and rip-rap placed at all corners and the piers for bridge scour protection. The structure will be a 4-span concrete bridge with span lengths of 80'. The structure will have an out-to-out length of 425' and a clear roadway width of 28'. The abutments and piers will be skewed 0 degrees to align with the streamflow. Details of the project are contained in information and plans received at the Division of Water on May 23, 2006.

Location : At the US 31 stream crossing
near Edinburgh, Blue River Township, Johnson County
SW¼, SE¼, NW¼, Section 33, T 11N, R 5E, Edinburgh Quadrangle
Quad Code: 3908538
UTM Coordinates: Downstream 4356500 North, 587600 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23853

Stream : Salt Creek

Applicant : Portage City Park and Recreation Board
Carl Fisher, Superintendent
2100 Willow Creek Road
Portage, IN 46368-1518

Description : A 6ft x 860 ft area of existing unpaved trail adjacent to Salt Creek will be paved. The fill will vary in depth from 4" on the landward side to approximately 4" on the streamward side. The existing trail will be regraded and clean stone will be used as base. The finished elevation of the fill will vary with the existing ground slope. The trail will be constructed on top of the completed fill. Details of the project are contained in information received electronically at the Division of Water on May 30, 2006.

Location : The proposed trail paving project is located along Salt Creek approximately 400 ft north of the Lenburg Road 90 degree bend, approximately 3000 ft west of the intersection of US Highway 149 and Lenburg Road. The trail currently lies on the west side of Salt Creek, north of the abandoned Wabash Railroad bridge crossing of Salt Creek.
at Portage, Portage Township, Porter County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23855

Stream : Smalls Creek

Applicant : CSX Railroad
P.O. Box 45052
Jacksonville, FL 32232

Description : The superstructure of the existing five-span bridge carrying CSXT rail line transportation over Smalls Creek will be widened to the East to accommodate one additional set of railroad tracks to increase railroad capacity along the CE&D Subdivision which runs from Chicago to Evansville, IN. The 15 ft deck will be increased by extending both the abutments and piers upstream and downstream approximately 39 ft thereby increasing the out-to-out width to 54 ft. The approach roads will not be raised and there will be minimal work in the channel. Fill placement for the siding track will occur in the Wabash River 100-year floodplain to the left of the Wabash River facing downstream. The fill will be placed on the East side of the railroad tracks from the northern terminus of the project (M.P. 228.6) to Purdue Road, on the West side of the railroad tracks from Purdue Road to approx. M.P. 230.4, and on the East side of the railroad tracks from approx. M.P. 230.4 to the southern terminus of the project (M.P. 230.8). The siding track work will include placing approximately 31,000 yd³ of fill material and installation of other materials associated with the siding track construction. Due to the linear nature of the project, the fill dimensions (length, width and depth) and the distance from the top of bank will vary along the alignment. The fill side slopes tend to be 2:1 along the alignment. The proposed siding track profile elevation will be between 426.67 ft and 428.40 ft NGVD. The project will require approximately 21,000 yd³ of borrow material from a borrow location to be determined. Details of the project are contained in information received electronically at the Division of Water on May 9, 2006.

Location : At the Louisville and Nashville rail crossing of Smalls Creek, approximately 4600' upstream from the confluence with the Wabash River
near Vincennes, Washington Township, Knox County
SE¼, NW¼, SE¼, Section 26, T 4N, R 10W, Oaktown Quadrangle
Quad Code: 3808774
UTM Coordinates: Downstream 4289358 North, 457657 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23857

Stream : Indian Creek

Applicant : Tippecanoe County Drainage Board
Steven Murray
20 North 3rd Street
Lafayette, IN 47901-1212

Description : 4,350 linear feet of an existing degraded regulated drain tile will be removed and replaced with an open channel. The regulated drain tile will be removed in a one step process. The new channel will be contiguous with the current over land channel and will have a 6 foot bottom with 3:1 side slopes. A sediment basin will be installed just north of CR 750 North to help suspended sediment settle out. Approximately 45 cubic feet of rip rap will be associated with the sediment basin. All spoil material will be disposed of in upland areas and seeded if not placed on agricultural land. The new channel banks will be seeded with a warm season grass mixture. Work will be conducted from the east bank or from the area with the least amount of vegetation. When equipment must pass through the adjacent wetland, drag line mats will be used to avoid compacting the soil or otherwise impacting the wetland. No spoil material will be side cast in wetlands. Wetland boundaries are clearly marked on site and on the project plans. Details of the project are contained in information received electronically at the Division of Water on May 31, 2006.

Location : The project is located along Jakes Drain from a quarter mile north of CR 750 North to approximately one half mile south of CR 750 North

at West Lafayette, Wabash Township, Tippecanoe County
Section 14, T 24N, R 5W, Brookston SW Quadrangle
Quad Code: 4008658

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20446

Lake : Big Barbee Lake

Applicant : Donald E Rice
91 EMS B70 Lane
Warsaw, IN 46582-6672

Description : A 25' by 30' underwater beach will be constructed along the applicant's 50' frontage of the property by placing a uniform layer of pea gravel on the lakebed. The underwater beach will start at the south property line and will extend north across 25' of the applicant's frontage. Details of the project are contained in information and plans received at the Division of Water on May 3, 2006, and May 25, 2006.

Location : 91 EMS B70 Lane
near North Webster, Tippecanoe Township, Kosciusko County
SW¼, SE¼, NE¼, Section 28, T 33N, R 7E, North Webster Quadrangle
Quad Code: 4108536
UTM Coordinates: Downstream 4571225 North, 607725 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20464

Lake : Lake James

Applicant : John K Schreiber
8629 Flatrock Road
Hoagland, IN 46745-9703

Description : We have 43' of shoreline with a very old(est. 80 yrs) concrete seawall. Over the years the weather and wave action has broken up the seawall such that the concrete is at or below the waterline and has exposed the steel railroad beams used to originally anchor the concrete. These exposed steel beams create an unsafe and hazardous condition for anyone(especially children) wanting to enter or exit the water. Our proposal is to take a section(approx. 15') of the old seawall and remove the steel beams in this area and fill in with the required rip-rap. The remaining shoreline(approx. 28') will be reinforced with the required rocks and rip-rap. Details of the project are contained in information received electronically at the Division of Water on May 30, 2006.

Location : Cottage 320, Lane 280, Lake James, IN.
Near Angola, Steuben Township, Steuben County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : PL-20465
- Lake : Tippecanoe Lake
- Applicant : Steve Yager
85 EMS T32C Lane
Leesburg, IN 46538-9137
- Description : A new seawall will be constructed across 60 ft of the 60 ft frontage of the applicant along Tippecanoe Lake to deter shoreline erosion. The wall will consist of poured in place concrete which will be sloped on the lakeward side. It will be 48 inches high and will vary uniformly in thickness from 13 inches to 30 inches from the base to the top. The lakeward face of the wall will be legal shoreline. Details of the project are contained in information received electronically at the Division of Water on May 30, 2006.
- Location : Northwest side of Tippecanoe lake, near the town of Oswego, Indiana in Plain Township, in Kosciusko County. Legal description: 029-046-014.a; S1/2, lot 9 & pt Parkway Bellrohr Park
near Oswego, Plain Township, Kosciusko County
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11
- Application # : PL-20471
- Lake : Lake Wawasee
- Applicant : Marineland Gardens Community Assoc
P O BOX 332
Syracuse, IN 46567-0332
- Description : An existing concrete seawall will be refaced across 416 ft frontage of the applicant on Wawasee Lake (channel) to prevent further deterioration. The refacing will consist of vinyl sheet piling which will be anchored to deadmen 12' into the property. The refacing will have a maximum thickness of 6 inches. Details of the project are contained in information received at the Division of Water on May 31, 2006.
- Location : 9942 North Lincoln Road
near Syracuse, Turkey Creek Township, Kosciusko County
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11